

Workflow and Process Synchronization with Interaction Expressions and Graphs

Christian Heinlein

Department of Databases and Information Systems, University of Ulm, Germany¹

heinlein@informatik.uni-ulm.de

Abstract

Current workflow management technology does not provide adequate means for inter-workflow coordination as concurrently executing workflows are considered completely independent. While this simplified view might suffice for one application domain or the other, there are many real-world application scenarios where workflows – though independently modeled in order to remain comprehensible and manageable – are semantically interrelated. As pragmatical approaches, like merging interdependent workflows or inter-workflow message passing, do not satisfactorily solve the inter-workflow coordination problem, interaction expressions and graphs are proposed as a simple yet powerful formalism for the specification and implementation of synchronization conditions in general and inter-workflow dependencies in particular. In addition to a graph-based semi-formal interpretation of the formalism, a precise formal semantics, an equivalent operational semantics, an efficient implementation of the latter, and detailed complexity analyses have been developed allowing the formalism to be actually applied to solve real-world problems like inter-workflow coordination.

1. Introduction

Inter-workflow dependencies

Current workflow management systems (WfMS), whether commercial products or research prototypes, do not provide adequate means for *inter-workflow coordination* as concurrently executing workflows are considered completely independent. While this simplified view might suffice for one application domain or the other, there are many real-world application scenarios where workflows – though independently modeled in order to remain comprehensible and manageable – are semantically interrelated. As a simple example from the domain of medicine, consider the examination workflows depicted in Fig. 1 describing the performance of an ultrasonography (left) and an endoscopy (right) including necessary pre- and post-processing steps like scheduling, report writing, etc. As long as these workflows refer to different patients, they might well be executed independently by a WfMS. If the

same patient is involved, however, the activities *prepare*², *inform*, *call*, and *perform* must be synchronized somehow as they access a “limited resource,” that is, the patient under consideration. If for example, the activities *order*, *schedule*, *prepare*, and *inform* (if present) of both workflows have already been performed, the activities *call* are to be executed next, i. e., they will be inserted into the worklists of appropriate users – e. g., medical assistants of the ultrasonography and endoscopy departments, respectively – by the WfMS. As soon as one of these activities is actually executed, however, the other one should temporarily disappear from the worklists – or at least become marked as currently not executable – as a patient cannot be called to a second examination as long as he passes through the first one. Only after completion of the first examination (activity *perform* of the corresponding workflow), activity *call* of the other workflow should become executable again, i. e., reappear in the appropriate worklists.

Impracticable approaches

As current WfMSs neither provide adequate means to describe nor to implement such inter-workflow dependencies, one might resort to rather pragmatical approaches like merging interdependent workflows into a single workflow to transform *inter-workflow* dependencies to ordinary *intra-workflow* control flows. As soon as not only two, but maybe five, ten or twenty interrelated workflows have to be merged, however, the resulting workflows will reach magnitudes which are no longer comprehensible nor manageable in practice. Furthermore, a host of 2^n merged workflows would be necessary to capture every possible combination of n original workflows. Finally, typical intra-workflow control structures, like sequence, conditional and parallel branching, and possibly loop, would force a workflow designer to prescribe a particular ordering of the examinations ultrasonography and endoscopy (more precisely, of the activities *call* and *perform* of the corresponding workflows) in the example above as these imperative language constructs do not allow to describe a sequential execution in either order. For these reasons, the idea to simply “define away” inter-workflow dependencies by translating them to well-known intra-workflow control flows has to be abandoned.

¹ Author’s new address: Department of Computer Structures, University of Ulm, Germany.

² For the sake of simplicity, only the verb of an activity (e. g., *prepare* instead of *prepare patient*) is used throughout the following text.




Figure 1: Medical examination workflows

Another apparently attractive idea uses inter-workflow messaging or event services provided by some WfMSs to explicitly synchronize concurrently executing workflows. As this approach retains the structure of the original workflows, it avoids the creation of unmanageable “mega-workflows.” However, it does not solve the “combinational explosion” problem as the set of messages a particular workflow must send and receive usually depends on the fact which other workflows are executed concurrently. Therefore, 2^n variations of each workflow would be necessary in principle to describe its behaviour in every possible combination with n other workflows. Similarly, the “mutual exclusion” problem, i. e., describing that the examinations can be performed in either order, cannot be solved with this approach as inter-workflow messages cannot be used to temporarily disable activities which have already been enabled by the WfMS. Therefore, the idea of reducing inter-workflow dependencies to bare message passing has likewise to be abandoned.

A common problem of both approaches not mentioned so far is their fundamental inability to deal with *dynamic workflow ensembles* where the number and the actual participants of a set of concurrently executing workflows is not known in advance and might change with time. As currently executing workflows might always terminate and additional workflows can be initiated by a user at any time, however, dynamically evolving ensembles are actually the normal case and must thus be supported accordingly.

Extended regular expression formalisms

In order to find a satisfactory solution to the inter-workflow coordination problem at all, it is absolutely necessary to strictly *separate* inter-workflow synchronization aspects from individual workflow descriptions and to use

an extremely flexible and declarative formalism for their specification. In some sense, this means to reapply a basic principle of workflow management, that is, the separation of the overall control and data flow specification of a workflow from the implementation of individual application modules, one level higher: Inter-workflow synchronization aspects are extracted from individual workflows and described on a separate level using a tailored and well-suited formalism.

In the past, similar approaches have been proposed and successfully used for the synchronization of parallel programs [1, 5, 19]. Instead of directly encoding synchronization conditions using, e. g., semaphore or message passing operations in individual procedure implementations, an abstract formalism based on extended regular expressions is used to describe them separately in a compact, legible and easily adaptable manner. The basic idea with these formalisms is to interpret the *language* of an expression, i. e., the set of words it accepts, as set of *permissible execution sequences* of actions where actions correspond to the start or termination of individual procedures or – when applied to the problem of inter-workflow dependencies – workflow activities. By that means, it is indeed possible to specify synchronization conditions in a very flexible and declarative way that avoids the problems mentioned before. Furthermore, as such expressions constitute *general integrity constraints* on actions which do not depend on their specific use in individual workflows, the cardinality n as well as the actual members of a set of concurrently executing workflows are irrelevant.

Despite the fact that many similar formalisms have been proposed over the years (cf. Fig. 2), each of them lacks one important aspect or the other. By carefully analysing the overall spectrum of operators provided by these formalisms, one can identify three pairs of complementary or dual operators: There are two basic composi-




Figure 2: Formalisms based on extended regular expressions

tion operators, *sequential* and *parallel composition*, two corresponding closure operators, *sequential* and *parallel iteration*, and two Boolean operators, *disjunction* and *conjunction*.³ Furthermore, the concept of *parametric expressions* and *quantifiers* can be found in a very restricted form in some approaches. Besides the fact, that none of the formalisms proposed so far is conceptually comprehensive or complete with respect to the others, most of them do not allow operators to be arbitrarily combined, but impose considerable restrictions on their nesting. In path expressions, for example, the parallel iteration operator must not contain other parallel iterations, while operands of a parallel composition in synchronization expressions must have disjoint alphabets.

Interaction expressions and graphs

This lack of orthogonality on the one hand and the conceptual incompleteness of the formalisms on the other hand calls for the development of a new formalism to describe synchronization requirements which is at least conceptually complete and fully orthogonal and thus can fill the hole depicted by the question marks in Fig. 2. Despite its conceptual completeness, such a formalism should also be flexibly extensible with user-defined operators in order to be optimally useful in different application domains. Furthermore, it should be readily comprehensible even for mathematically ignorant persons, which suggests the use of a graphical representation instead of or in addition to a formal notation. Last but not least, the proposed formalism must be efficiently implementable in order to be practically useful, and the implementation should be – in contrast to, e. g., Petri nets and process algebras – completely deterministic.

In order to meet these requirements, *interaction expressions and graphs* have been developed in the author's Ph.D. thesis [6, 7] as a simple yet powerful formalism for the *expression-* or *graph-*based specification and implementation of *inter-action* dependencies, i. e., synchronization conditions. Interaction graphs, which constitute the graphical, user-oriented view of the formalism, are intro-

³ Note that regular expressions provide just the first operator of each pair: sequential composition (sequence), sequential iteration (Kleene closure), and disjunction (choice).

duced in Sec. 2, while interaction expressions, their formal counterpart, are treated in Sec. 3. Sections 4, 5, and 6 dealing with the operational semantics, implementation, and complexity of interaction expressions, respectively, pave the way for their practical application which is illustrated in Sec. 7 by describing their integration with workflow management systems. Finally, Sec. 8 concludes the paper.

2. Interaction graphs

In the following, the basic ideas and concepts of interaction graphs will be introduced by presenting some typical examples of synchronization conditions taken from the domain of medical examination workflows. To save space for the more technical aspects of the formalism presented in subsequent sections, operators are not defined verbosely but rather explained on the fly without going into details.

As a first example, Fig. 3 shows an interaction graph specifying a generic *integrity constraint for patients* by describing necessary synchronization requirements for the activities *prepare*, *inform*, *call*, and *perform*. As all these activities refer to a particular patient p as well as a particular examination x , they possess corresponding parameters p and x containing, for example, a social security number identifying a patient and a symbolic value like *sono* or *endo* representing an examination, respectively.⁴ The ellipses containing flash symbols, which – in contrast to the predefined circular operators – constitute a user-defined operator, represent a *mutual exclusion* describing that a patient p might either pass through exactly one examination x (middle branch) or be prepared for or informed about several examinations x simultaneously (upper and lower branch, respectively). The “for some x ” quantifiers $\bigcirc \cdots \bigcirc$ specify that their body, i. e., the subgraph in between, must be traversed for exactly *one* arbitrarily chosen value of the parameter x , while the body of the “for all p ” quantifier $\bigodot \cdots \bigodot$ might be traversed concurrently and independently for *all* possible values of the

⁴ In the workflows of Fig. 1, these parameters have been omitted for the sake of simplicity. They might be considered global workflow variables which are implicitly passed to all activities of a workflow.




Figure 3: Integrity constraint for patients

parameter p . Thus, these operators constitute generalizations of the basic “either or” (disjunction) and “as well as” (parallel composition) branchings, respectively, depicted in Fig. 4. Finally, the “arbitrarily parallel” operators $\odot \cdots \odot$ allow an arbitrary number of concurrent and independent traverses of their body.⁵



Figure 4: Basic branching operators: “either or” (left) and “as well as” (right)

User-defined operators

To complete the example above, Fig. 5 shows a possible definition of the mutual exclusion operator “flash” as a constant repetition (sequential iteration) of an “either or” branching containing the mutually exclusive branches x , y , and z .⁶ Employing such kinds of templates does not only simplify the graphs containing them, but also increases their level of abstraction as a user of the “flash” operator does not need to know its precise definition but only its abstract meaning. Therefore, frequently occurring or fairly complicated application-specific operators might be predefined by an “interaction graph expert” and applied afterwards even by inexperienced users.

Modular combination of graphs

Figure 6 shows another example of an interaction graph specifying a generic *capacity restriction for examination departments* by describing that for each kind of examina-

⁵ As a mnemonic aid, a single circle (whether small or large) expresses that *one* branch must be chosen, while a double circle requires *both* or *all* branches to be traversed. Finally, three circles represent an *arbitrary* number of parallel traverses.

⁶ It is also possible to give a more general definition where the number of branches is variable.

tion x (quantifier $\odot \cdots \odot$) three concurrent and independent instances (multiplier $\odot \cdots \odot$) of the sequence *call* – *perform* might be executed repeatedly (sequential iteration $\circ \cdots \circ$). Each of these sequences might be traversed with an arbitrary patient p (quantifier $\circ \cdots \circ$). This means effectively, that each examination department x can treat at most three patients p simultaneously.

Having specified separate synchronization conditions for patients (Fig. 3) and examination departments (Fig. 6), a coupling operator is employed to combine these independently developed subgraphs into a single interaction graph representing their semantic conjunction (cf. Fig. 7). More precisely, the combined graph permits the execution of a particular activity if and only if it is permitted by *all subgraphs containing this activity*. Applied to the graph of Fig. 7 this means that the execution of *call* and *perform* is permitted if and only if it is permitted by both branches of the coupling operator $\odot \cdots \odot$, while *prepare* and *inform* are permitted as soon as they are permitted by the upper branch. In contrast to a strict conjunction operator (denoted $\bullet \cdots \bullet$) which permits execution of an activity if and only if it is permitted by *all* its branches, the more loosely coupling employed in Fig. 7 is usually much more intuitive and useful in practice as a subgraph should not prohibit the execution of activities which it does not explicitly mention. This kind of open-world assumption – there might be activities which are either unknown or irrelevant at the time a graph is developed – supports a modular development of small interaction graphs describing particular aspects or facets of a synchronization condition and their seamless integration into larger graphs afterwards. In contrast, formalisms providing strict conjunction only [5] or no explicit conjunction operator at all [16, 17] force graph developers to augment the individually developed subgraphs with auxiliary branches or special synchronization symbols before combining them into larger graphs [7].

3. Interaction expressions

Having introduced interaction graphs in a rather informal and descriptive manner so far, *interaction expressions* will




Figure 5: Definition of the mutual exclusion operator




Figure 6: Capacity restriction for examination departments




Figure 7: Coupling of independently developed subgraphs

be defined in the following as an equivalent formal notation with a precisely specified semantics. Expressed the other way round, interaction graphs are merely a graphical notation of interaction expressions, just like syntax charts constitute a graphical representation of context-free grammars.

To formally define the semantics of an interaction expression x , two languages called $\Phi(x)$ and $\Psi(x)$ are introduced containing the *complete* and *partial words* of x , respectively.⁷ Intuitively, a complete word $w \in \Phi(x)$ constitutes a sequence of actions which is derived by com-

⁷ As another mnemonic aid, Φ (pronounced **fi**) contains “final” or complete words, whereas Ψ (**psi**) contains **p**artial words.

pletely traversing the corresponding interaction graph from left to right according to particular rules and recording the visited actions.⁸ Similarly, a partial word $w \in \Psi(x)$ is obtained by partially traversing the graph, i. e., prematurely terminating the traverse. As it is possible – typically by inappropriate uses of the coupling operator – to construct graphs with “dead ends” (i. e.,

⁸ The rectangular nodes of an interaction graph represent so called *activities* possessing a positive duration in time. In contrast, *actions* correspond to points in time without any duration. As the exact duration of an activity A is irrelevant, it is implicitly mapped to a sequence of two actions, A_S and A_T , representing the start and termination of A , respectively.

graphs possessing partial but not complete words), partial words cannot be simply derived as prefixes of complete words but have to be defined separately.

Table 1 summarizes the definition of interaction expressions x (first and second column) where y and z constitute recursively defined subexpressions. Furthermore, a represents an *abstract action*

$$a \in \Gamma = \{[a_0, a_1, \dots, a_n] \mid n \in \mathbb{N}_0, a_0 \in \Lambda, a_1, \dots, a_n \in \Omega \cup \Pi\}$$

consisting of an action *name* $a_0 \in \Lambda$ and zero or more *arguments* $a_1, \dots, a_n \in \Omega \cup \Pi$ which are either concrete values $\omega \in \Omega$ or formal parameters $p \in \Pi$. Here, Λ , Ω , and Π denote arbitrary sets of names, values, and parameters, respectively, for which the conditions $\Omega \cap \Pi = \emptyset$ and $|\Omega| = \infty$ shall hold. Furthermore, for each expression x , Tab. 1 defines its set of complete and partial words (third and fourth column, respectively) where brackets $\langle \dots \rangle$ are used to denote *abstract words* $\in \Gamma^*$ and Σ represents the set of *concrete actions*,

$$\Sigma = \{[a_0, a_1, \dots, a_n] \mid n \in \mathbb{N}_0, a_0 \in \Lambda, a_1, \dots, a_n \in \Omega\},$$

whose arguments a_i are all concrete values. Consequently, a *concrete word* $w \in \Sigma^*$ corresponds to a sequence of concrete actions executed in the real world.

The concatenation (UV) and Kleene closure (U^*) of languages $U, V \subseteq \Sigma^*$ is defined as usual, whereas the *shuffle* of words $u, v \in \Sigma^*$ and languages $U, V \subseteq \Sigma^*$ as well as the corresponding closure is defined as follows [17, 5]:⁹

$$u \otimes v = \{u_1 v_1 \dots u_n v_n \mid n \in \mathbb{N}, u_1, v_1, \dots, u_n, v_n \in \Sigma^*, u_1 \dots u_n = u, v_1 \dots v_n = v\},$$

$$U \otimes V = \bigcup_{u \in U, v \in V} u \otimes v = \{w \in \Sigma^* \mid \exists u \in U, v \in V: w \in u \otimes v\}.$$

$$\bigotimes_{i=1}^n U_i = \begin{cases} \{\langle \rangle\} & \text{for } n = 0, \\ \left(\bigotimes_{i=1}^{n-1} U_i \right) \otimes U_n & \text{for } n > 0, \end{cases}$$

$$U\# = \bigcup_{n=0}^{\infty} \bigotimes_{i=1}^n U = \bigcup_{n \in \mathbb{N}_0} \bigotimes_{i=1}^n U = \bigcup_{u_1, \dots, u_n \in U} u_1 \otimes \dots \otimes u_n.$$

For an expression y , a parameter $p \in \Pi$, and a value $\omega \in \Omega$, y_p^ω denotes the expression derived from y by replacing every occurrence of the parameter p with the value ω . Infinite unions and intersections are defined as usual, whereas the shuffle of infinitely many languages $U_\omega \in \Sigma^*$ ($\omega \in \Omega$) is either empty or can be reduced to a union of finite shuffles if all participants U_ω contain the empty word [7]:

⁹ Note that, in the first definition, u_i and v_i do not represent actions $\in \Sigma$, but *subwords* $\in \Sigma^*$ consisting of zero or more actions.

$$\bigotimes_{\omega \in \Omega} U_\omega = \begin{cases} \bigcup_{\substack{n \in \mathbb{N} \\ \omega_1 \neq \dots \neq \omega_n \in \Omega}} \bigotimes_{i=1}^n U_{\omega_i}, & \text{if } \langle \rangle \in U_\omega \\ \emptyset & \text{for all } \omega \in \Omega, \\ & \text{otherwise.} \end{cases}$$

Finally, Tab. 1 defines the *alphabet* $\alpha(x)$ of expressions x (last column) which is needed for the definition of the *alphabet complement* $\kappa_x(y) = \alpha(x) \setminus \alpha(y)$. Unfortunately, space does not permit a more detailed motivation and explanation of the definitions given in this section.

Based on the definitions of Tab. 1, two interaction expressions x_1 and x_2 are considered equal or *equivalent*, if they possess the same alphabet and accept the same complete and partial words.¹⁰ Given this equivalence relation, numerous useful properties of interaction expressions, like commutativity, associativity, or idempotence of operators, which are intuitively evident, can be formally proven [7].

Furthermore, interaction expressions can be compared with well-known formalisms like regular expressions and context-free grammars regarding their expressiveness. While it is obvious that interaction expressions are more expressive than regular expressions, their relation to context-free grammars is not yet exactly determined. On the one hand, there are expressions, e.g., $x = (\ominus a - \ominus b - \ominus c) \bullet \odot (a - b - c)$, whose language, $\Phi(x) = \{ \langle a^n, b^n, c^n \rangle \mid n \in \mathbb{N}_0 \}$, is not context-free. On the other hand, there are context-free grammars specifying, e.g., palindromes, whose language is *presumably* not expressible with interaction expressions as they – deliberately – do not allow recursive expressions. As these questions are of little relevance for practical applications of interaction expressions, they have not been investigated in more detail.

4. Operational semantics of interaction expressions

Given the formal semantics of interaction expressions, it is possible in principle to construct an algorithm solving the *word problem* – given an interaction expression x and a concrete word w , decide whether w is a partial or complete word of x – by more or less directly transforming the definitions of $\Psi(x)$ and $\Phi(x)$ into executable code. The problem with this algorithm is, however, that it is hopelessly inefficient as its complexity grows exponentially with respect to the length of the word w even for very simple expressions x [18, 7]. In order to obtain a more efficient and practically useful implementation of interaction expressions, it is thus necessary to introduce an operational *state model* comparable in some sense to finite state machines (FSM) typically used for the implementation of regular expressions.

¹⁰ More precisely, as x_1 and x_2 might contain unbound parameters, every pair of *concretizations* $(x_1)_{p_1, \dots, p_k}^{\omega_1, \dots, \omega_k}$ and $(x_2)_{p_1, \dots, p_k}^{\omega_1, \dots, \omega_k}$ (for arbitrary parameters $p_1, \dots, p_k \in \Pi$ and values $\omega_1, \dots, \omega_k \in \Omega$) must accept the same complete and partial words.

Table 1: Formal semantics of interaction expressions

Category	x	$\Phi(x)$	$\Psi(x)$	$\alpha(x)$
atomic expression	a	$\{\langle a \rangle\} \cap \Sigma^*$	$\{\langle \rangle, \langle a \rangle\} \cap \Sigma^*$	$\{a\}$
option	$\sqsupset y$	$\Phi(y) \cup \{\langle \rangle\}$	$\Psi(y)$	$\alpha(y)$
sequential composition	$y - z$	$\Phi(y) \Phi(z)$	$\Psi(y) \cup \Phi(y) \Psi(z)$	$\alpha(y) \cup \alpha(z)$
sequential iteration	$\ominus y$	$\Phi(y)^*$	$\Phi(y)^* \Psi(y)$	$\alpha(y)$
parallel composition	$y \otimes z$	$\Phi(y) \otimes \Phi(z)$	$\Psi(y) \otimes \Psi(z)$	$\alpha(y) \cup \alpha(z)$
parallel iteration	$\otimes y$	$\Phi(y)^\#$	$\Psi(y)^\#$	$\alpha(y)$
disjunction	$y \circ z$	$\Phi(y) \cup \Phi(z)$	$\Psi(y) \cup \Psi(z)$	$\alpha(y) \cup \alpha(z)$
conjunction	$y \bullet z$	$\Phi(y) \cap \Phi(z)$	$\Psi(y) \cap \Psi(z)$	$\alpha(y) \cup \alpha(z)$
synchronization	$y \odot z$	$\Phi(y) \otimes \kappa_x(y)^* \cap \Phi(z) \otimes \kappa_x(z)^*$	$\Psi(y) \otimes \kappa_x(y)^* \cap \Psi(z) \otimes \kappa_x(z)^*$	$\alpha(y) \cup \alpha(z)$
disjunction quantifier	$\bigcirc_p y$	$\bigcup_{\omega \in \Omega} \Phi(y_p^\omega)$	$\bigcup_{\omega \in \Omega} \Psi(y_p^\omega)$	$\bigcup_{\omega \in \Omega} \alpha(y_p^\omega)$
parallel quantifier	$\bigotimes_p y$	$\bigotimes_{\omega \in \Omega} \Phi(y_p^\omega)$	$\bigotimes_{\omega \in \Omega} \Psi(y_p^\omega)$	$\bigcup_{\omega \in \Omega} \alpha(y_p^\omega)$
synchr. quantifier	$\bigodot_p y$	$\bigcap_{\omega \in \Omega} \Phi(y_p^\omega) \otimes \kappa_x(y_p^\omega)^*$	$\bigcap_{\omega \in \Omega} \Psi(y_p^\omega) \otimes \kappa_x(y_p^\omega)^*$	$\bigcup_{\omega \in \Omega} \alpha(y_p^\omega)$
conjunction quantifier	$\bigbullet_p y$	$\bigcap_{\omega \in \Omega} \Phi(y_p^\omega)$	$\bigcap_{\omega \in \Omega} \Psi(y_p^\omega)$	$\bigcup_{\omega \in \Omega} \alpha(y_p^\omega)$

For that purpose, every interaction expression x is assigned an *initial state* $\sigma(x)$ where a state – in contrast to FSMs – might be a complex, hierarchically structured mathematical object. Furthermore, a *state transition function* τ is defined which maps a state s and an action a to a successor state $s' = \tau_a(s)$. Finally, two *state predicates*, $\psi(s)$ and $\phi(s)$, are introduced which correspond directly to the sets $\Psi(x)$ and $\Phi(x)$ of the formal semantics (cf. below). The nature of these definitions allows them to be transformed to executable program code quite directly. To further improve the efficiency of the so constructed implementation, an *equivalence relation* is introduced for states based on the predicates ψ and ϕ and an *optimization function* ρ is defined which maps some states s to equivalent, but less complex states $\hat{s} = \rho(s)$ which can be processed more efficiently.

Intuitively, the state model formalizes the descriptive idea of traversing an interaction graph. That means, the initial state $\sigma(x)$ of an expression x describes the *starting position* of a walker (or a group of walkers) who wants to walk through the corresponding interaction graph, while a state transition $\tau_a(s)$ represents the *traverse* of an action a . A successor state $\sigma_w(x)$, derived from the initial state $\sigma(x)$ by applying a sequence of state transitions corresponding to a word w , describes the set of *all possible positions* the walker(s) *might* have reached after traversing the sequence of actions w . Such a state is said to be *valid*, which is equivalent to its predicate ψ being true, if the sequence w is permissible, i. e., constitutes a partial word of x . It is called a *final* state, which is equivalent to its predicate ϕ being true, if the walker(s) might have reached the end of the graph after traversing the actions of w .

To actually guarantee the correctness of the state model with respect to the formal semantics of interaction expressions, the following equivalences must hold for every word $w \in \Sigma^*$:

$$w \in \Psi(x) \Leftrightarrow \psi(\sigma_w(x)) = \text{true},$$

$$w \in \Phi(x) \Leftrightarrow \phi(\sigma_w(x)) = \text{true}.$$

The corresponding proof constitutes a very large structural induction using several smaller computational inductions (verifying properties of the states $\sigma_w(x)$ for the different categories of expressions x) as lemmas. Furthermore, an auxiliary theorem must be proven in parallel to make sure that quantifier expressions, though constituting conceptually infinite expressions, can nevertheless be implemented using states of final size [7].

5. Implementation of interaction expressions

As already mentioned in Sec. 4, the nature of the definitions of the functions σ , τ , ψ , ϕ , and ρ allows them to be transformed to executable program code quite directly. It turns out, however, that the state predicate ψ is dispensable if invalid states are already recognized by the optimization function ρ and mapped to a special null state. Furthermore, as the state transition function τ and the optimization function ρ are always applied successively, it makes sense to combine them into a single optimized state transition function $\hat{\tau}_a(s) = \rho(\tau_a(s))$. The remaining functions, $\sigma(x)$, $\hat{\tau}_a(s)$, and $\phi(s)$, can be readily implemented using any suitable programming language.

Assuming corresponding functions `init()`, `trans()`, and `final()` in C++, it is easily possible to implement

functions `word()` and `action()` solving the following problems (cf. Fig. 8):

```
// Return initial state of expression x.
State init(Expr x);

// Perform an optimized state transition
// of state s with action a.
State trans(State s, Action a);

// Determine whether s is a final state.
bool final(State s);

// Solve the word problem for expr. x.
int word(Expr x, Action* w, int n) {
    State s = init(x);
    for (int i = 0; i < n; i++) {
        s = trans(s, w[i]);
    }
    if (final(s)) return 2; // Complete,
    else if (s) return 1; // partial,
    else return 0; // or illegal word.
}

// Solve the action problem for expr. x.
void action(Expr x) {
    State s = init(x);
    while (true) {
        Action a = ReadNextAction();
        if (State t = trans(s, a)) {
            printf("Accept.\n"); s = t;
        }
        else printf("Reject.\n");
    }
}
```

Figure 8: Solution of the word and action problems

1. The function `word()` solves the *word problem*, i.e., it decides whether a sequence w of n actions is a complete, partial, or illegal word of an interaction expression x and returns a corresponding integer value. For that purpose, the initial state s of x is computed (function `init()`) and successively transformed using the actions $w[i]$ of w (function `trans()`). If the resulting state s is a final state (function `final()`), w constitutes a complete word of x ; otherwise, if s is valid (i.e., different from the null state), w is a partial word of x ; otherwise, w is illegal.
2. The function `action()` solves the so called *action problem*. After computing the initial state s of the expression x , it successively reads actions a (function `ReadNextAction()`) and decides whether each such action is *currently permissible*. For that purpose, a “tentative” state transition is performed to check

whether the successor state t is valid. If it is, a is accepted and the state transition is actually performed by replacing the current state s with the successor state t . Otherwise, a is rejected and the current state s remains unchanged.

As will be explained in Sec. 7, solving the action problem is highly relevant for practical applications of interaction expressions, while the solution of the word problem is more or less a by-product of primarily theoretical interest.

6. Complexity of interaction expressions

Despite the fact that statements about the computational complexity of interaction expressions are highly relevant for practical applications, space does not permit to treat this topic in much detail. Nevertheless, the main results providing the basis for a successful practical employment shall be briefly presented.

Generally, there is good news and bad news about the complexity of interaction expressions. The bad news is, it is possible to construct “malignant” expressions, i.e., expressions for which the complexity of a state transition (in the current implementation) grows exponentially with respect to the length of the action sequence processed so far. The good news is, those expressions do not seem to occur in practical applications. In order to substantiate this admittedly vague statement, extensive and detailed analyses about the growth and evolution of states of expressions have been carried out. These studies revealed several useful subclasses of interaction expressions, e.g., quasi-regular expressions, completely and uniformly quantified expressions, etc., for which detailed criteria for their “benignity” have been elaborated. For example, it can be shown that quasi-regular expressions (i.e., expressions not containing parallel iterations or quantifiers) are “harmless” (the complexity of a state transition remains constant) and that completely and uniformly quantified expressions (which constitute the normal case of quantified expressions in practice) are “benign” (the complexity of a state transition grows polynomially with respect to the length of the action sequence processed so far). Furthermore, these propositions can be used in combination to evaluate step by step that a given expression is benign.

To put it in a nutshell, all practical examples considered so far – including those presented in this paper – have been formally proven benign using the complexity propositions developed in [7]. Furthermore, the actual degree of the polynomial growth is rarely greater than 1 or 2. It turned out, that the careful selection of the optimization function ρ (cf. Sec. 4) plays a crucial role in that context as some of these expressions would indeed behave malignant without optimization.

On the other hand, malignant expressions – including a suitable word for which they actually behave malignant – have to be selectively constructed and do not seem to have any practical relevance.

7. Integration with workflow management systems

Having designed interaction expressions and graphs (Sec. 2), defined their formal semantics (Sec. 3), developed, verified, and implemented an equivalent operational semantics (Secs. 4 and 5), and finally proved its efficiency for practically relevant expressions (Sec. 6), the question remains how interaction expressions and graphs can actually be employed to synchronize the execution of real-world activities. Assuming that these activities will be executed by some kind of *interaction clients* (typically workflow management systems), a central scheduler or *interaction manager* and a suitable *coordination protocol* is needed to monitor and control the execution of actions (cf. Fig. 9, left side).

To make sure that a client does not execute an action which is currently not permitted by the given interaction graph, the client has to *ask* the interaction manager for permission first (step 1). Depending on the current state of the graph, the interaction manager *replies* either yes or no (step 2). If a positive answer is received, the client actually *executes* the respective action (step 3) and *confirms* its execution (step 4) causing the interaction manager to perform a corresponding *state transition* of the graph (step 5). Otherwise, the client must refrain from executing the action now and try again later.

In order to avoid busy waiting in that case causing unnecessary communication and interaction manager workload, a client can *subscribe* to a particular action (step 1, right side of Fig. 9) causing the interaction manager to *inform* him about every *status change* of the respective action (step 2), i. e., the client receives informational messages whenever the status of a subscribed action changes from permissible to non-permissible or vice versa. These messages can be used on the one hand to keep users' worklists up to date (step 3) and on the other hand to wait passively for the right moment to ask again for permission to execute an action. Finally, if a client is no longer interested in the status of an action, a corresponding *cancel* message (step 4) tells the interaction manager to stop sending informations about this action.

In [7], these coordination and subscription protocols as well as several alternative protocols, possessing different complexity and particular advantages and disadvantages, are discussed in more detail. Furthermore, to avoid the interaction manager to become a bottleneck in a large system, the protocols are generalized to application scenarios involving multiple interaction managers. Finally, the employment of persistent message queues for the communication between interaction managers and clients as well as recovery strategies for interaction managers are described.

8. Conclusion

Interaction expressions and graphs constitute a flexible and expressive formalism for the specification and implementation of synchronization conditions in general and inter-workflow dependencies in particular. In addition to a

declarative semi-formal interpretation (traversing interaction graphs), a precise formal semantics, an equivalent operational semantics, an efficient implementation of the latter, and detailed complexity analyses have been developed allowing the formalism to be actually applied to solve real-world problems like inter-workflow coordination.

Compared to approaches like workflow merging or inter-workflow message passing, the employment of interaction graphs leads to a clean separation of synchronization conditions and individual workflow definitions. Furthermore, it supports the specification of general integrity constraints on activities which are independent of their actual use in particular workflows. In contrast to other formalisms based on extended regular expressions, interaction expressions are conceptually comprehensive and completely orthogonal. Compared to other well-known approaches for the specification of concurrent systems, especially Petri nets [15, 11] and various kinds of process algebras [8, 9, 14], their behaviour is fully deterministic, even though this heavily complicates their operational semantics and implementation [7].

Despite the fact that inter-workflow dependencies occur frequently in practical applications, they have not received much attention in the workflow community yet. Neither special issues of journals devoted to the overall topic of workflow management [21–25] nor books reflecting the state of the art in that field [20, 10] have really addressed the problem so far. The same holds for conference and workshop proceedings in general where the number of publications dealing with other workflow management problems, e.g., flexibility and scalability, is steadily increasing. Two noteworthy exceptions are [2] and [12]. Both approaches, however, are not able in principle to deal with dynamically evolving workflow ensembles whose participants are not known in advance and might change with time. Therefore, the thorough development of interaction expressions and graphs and their application to coordinate dynamically evolving workflow ensembles constitutes a pioneering approach towards a general solution of the inter-workflow coordination problem.

In addition to a very mature core implementation of interaction expressions based on the formally verified operational semantics (cf. Sec. 5), a syntax-driven editor for interaction graphs has been developed to facilitate their creation in practice. Furthermore, early versions of the coordination and subscription protocols described in Sec. 7 have been implemented and tested for the WfMS ProMInanD [13]. Their integration into the next generation WfMS ADEPT [3] is a topic of future work.

Acknowledgement

Many thanks to Peter Dadam for supervising the Ph.D. thesis [7] and to the members of the ADEPT team for the good collaboration.




Figure 9: Coordination and subscription protocols

References

- [1] R. H. Campbell, A. N. Habermann: "The Specification of Process Synchronization by Path Expressions." In: E. Gelenbe, C. Kaiser (eds.): *Operating Systems*. Lecture Notes in Computer Science 16, Springer-Verlag, Berlin, 1974, 89–102.
- [2] F. Casati, S. Ceri, B. Pernici, G. Pozzi: "Semantic Workflow Interoperability." In: P. Apers, M. Bouzeghoub, G. Gardarin (eds.): *Advances in Database Technology – EDBT'96*. Lecture Notes in Computer Science 1057, Springer-Verlag, Berlin, 1996, 443–462.
- [3] P. Dadam, M. Reichert: "The ADEPT WfMS Project at the University of Ulm." In: *1st European Workshop on Workflow and Process Management* (Zürich, Switzerland, 1998). 1998.
- [4] F. J. Faase, S. J. Even, R. A. de By: *Introduction to CoCoA* (TransCoop Deliverable IV.3). Technical Report TC/REP/UT/D4-3/033, University of Twente, The Netherlands, February 1996.
- [5] L. Guo, K. Salomaa, S. Yu: "On Synchronization Languages." *Fundamenta Informaticae* 25 (3+4) March 1996, 423–436.
- [6] C. Heinlein, P. Dadam: *Interaction Expressions – A Powerful Formalism for Describing Inter-Workflow Dependencies*. UIB 97-04, Fakultät für Informatik, Universität Ulm, February 1997.
- [7] C. Heinlein: *Workflow and Process Synchronization with Interaction Expressions and Graphs*. Ph.D. Thesis (in German), Fakultät für Informatik, Universität Ulm, 2000.
- [8] M. Hennessy: *Algebraic Theory of Processes*. The MIT Press, Cambridge, MA, 1988.
- [9] C. A. R. Hoare: *Communicating Sequential Processes*. Prentice-Hall, London, 1985.
- [10] S. Jablonski, M. Böhm, W. Schulze (eds.): *Workflow-Management. Entwicklung von Anwendungen und Systemen*. dpunkt-Verlag, Heidelberg, 1997.
- [11] K. Jensen, G. Rozenberg (eds.): *High-Level Petri Nets. Theory and Application*. Springer-Verlag, 1991.
- [12] M. Kamath, K. Ramamritham: "Failure Handling and Coordinated Execution of Concurrent Workflows." In: *Proc. 14th*

- Int. Conf. on Data Engineering (ICDE)* (Orlando, FL, February 1998). IEEE Computer Society, 1998, 334–341.
- [13] B. Karbe: "Flexible Vorgangssteuerung mit ProMInanD." In: U. Hasenkamp, S. Kirn, M. Syring (eds.): *CSCW – Computer Supported Cooperative Work*. Addison-Wesley, Bonn, 1994, 117–133.
- [14] R. Milner: *Communication and Concurrency*. Prentice-Hall, New York, 1989.
- [15] J. L. Peterson: "Petri Nets." *ACM Computing Surveys* 9 (3) September 1977, 223–252.
- [16] W. E. Riddle: "A Method for the Description and Analysis of Complex Software Systems." *ACM SIGPLAN Notices* 8 (9) September 1973, 133–136.
- [17] A. C. Shaw: "Software Description with Flow Expressions." *IEEE Transactions on Software Engineering* SE-4 (3) May 1978, 242–254.
- [18] A. C. Shaw: "On the Specification of Graphics Command Languages and Their Processors." In: R. A. Guedj, P. J. W. ten Hagen, F. R. A. Hopgood, H. A. Tucker, D. A. Duce (eds.): *Methodology of Interaction*. North-Holland Publishing Company, Amsterdam, 1980, 377–392.
- [19] A. C. Shaw: "Software Specification Languages Based on Regular Expressions." In: W. E. Riddle, R. E. Fairley (eds.): *Software Development Tools*. Springer-Verlag, Berlin, 1980, 148–175.
- [20] G. Vossen, J. Becker (eds.): *Geschäftsprozessmodellierung und Workflow-Management. Modelle, Methoden, Werkzeuge*. International Thomson Publishing, Bonn, 1996.
- [21] Special Issue on Workflow and Extended Transaction Systems. *IEEE Data Engineering Bulletin* 16 (2) June 1993.
- [22] Special Issue on Workflow Systems. *IEEE Data Engineering Bulletin* 18 (1) March 1995.
- [23] Special Issue on Software Support for Work Flow Management. *Distributed and Parallel Databases* 3 (2) April 1995.
- [24] Special Issue on Workflow Systems. *Distributed Systems Engineering Journal* 3 (4) December 1996.
- [25] Special Issue on Workflow and Process Management. *Journal of Intelligent Information Systems. Integrating Artificial Intelligence and Database Technologies* 10 (2) March 1998.